The Integrated Deepwater System Program







U. S. Coast Guard Missions

Homeland Security Missions

- Ports, Waterways and Coastal Security
- Drug interdiction
- Migrant interdiction
- Defense readiness
- Other law enforcement

Traditional Missions

- Marine safety
- Search and rescue
- Aids to navigation
- Living marine resources (fisheries law enforcement)
- Marine environment protection
- Ice operations





Homeland Security Strategy

Comprehensive National Strategy



Deepwater
Mission Task
Sequence



Coast Guard Maritime Homeland Defense Strategy



National Strategy for Homeland Defense

Surveil

Conduct layered maritime security operations

Establish & maintain a baseline level of

maritime security

Detect

Strengthen the port security posture

Build & leverage Maritime Domain Awareness

Classify

Develop required capabilities, improve core

competencies & recapitalize the CG

Identify

Organize & sustain a public private sector partnership; increase international partnership

Prosecute

Prepare, equip & train forces to transition between & conduct HLS & HLD ops Prevent Terrorist Attacks within the United States


Reduce America's Vulnerability to Terrorism

Minimize the Danger and Recover from the Attacks that do Occur





Current Coast Guard Capabilities







Solution: Integrated Deepwater

System

Performance Based:

 Focus on capabilities not assets

Acquisition Strategy:

- Partner with system integrator
- Acquire integrated system of surface, air, C4ISR, and logistics systems

Overarching Objective:

 Maximize Operational Effectiveness while Minimizing Total Ownership Costs





Our Partner

Contract awarded 25 June 2002 to Integrated
 Coast Guard Systems (ICGS), a joint venture
 between Lockheed Martin and Northrop Grumman.





ARINC Bell Agusta Aerospace Corp. Bell Helicopter Textron EADS CASA EADS Eurocopter Halter – Bollinger L3 Communications LM Management & Data Systems
LM Technology Services
M. Rosenblatt & Sons
Northrop Grumman Full Service Operations
Northrop Grumman IT
PROSOFT
United Defense, LP

People, Performance, and Partnership





Contracting Strategy

- Five-year base award with option to award up to five additional five-year award terms
- Delivery Order/Task Order Contract will break annual funding into usable segments
- Emphasis has been placed on beneficial applicability and identification of COTS/NDI solutions since program inception
- Contract incorporates many acquisition reforms, innovations and current best practices, and is constructed to provide flexibility to adapt to:
 - Budget fluctuations

- Legislative mandates
- Technology refreshment
- Mission evolution






Maritime Domain Awareness

 Expanding awareness of activities occurring in the maritime domain is critical to enhancing our performance across all

mission areas.

 Identify and understand threats, and disseminate timely information to our operational commanders and our homeland security partners

 Respond to terrorist attacks, drug smuggling, illegal migration, distressed boaters, or illegal fishing







System of Systems Solution - Assets

Current System:

91 Ships

206 Aircraft

Associated C4ISR

Legacy Shore C2

Aging Support Infrastructure

Added Capabilities:

System of Systems approach

Improved operating effectiveness while reducing total ownership cost (TOC)

Fully interoperable platforms

Capability based contracting model








System Solution - Network Centric







Surface Assets



Capability Improvements

- New Cutters Designed With Mission and Capability Growth
- Provisions for Interchangeable Mission Modules to Enhance Flexibility Tailored to Missions
- Stern Ramps on All Cutters and Upgraded Patrol Boats Enhance Small Boat Launch and Recovery Operations With Less Crew
- Dramatically Improved
 Habitability Features Include 2/4
 Person Staterooms, Fitness
 Centers, Lounges, and Learning
 Centers





The Surface Ship Implementation

200	02 20	007 2	2012	2017 2	022
New Construction Maritime Security Cutter, Large Maritime Security Cutter, Medium Maritime Patrol Coastal Long Range Interceptor Short Range Prosecutor					7
Upgrades 110' Patrol Boats to 123' Patrol Boats			2		
Retirement	378' Cutter - - 230' Cutter	378' Cutter - - 213' Cutter	378' Cutter 282' Cutter - - 210' Cutter	270' Cutter - 210' Cutter 123' Patrol Boat	





Maritime Security Cutter, Large (WMSL) Characteristics

National Security Cutter [Delivery 2007 - 2013]

	₹	_ <u></u>	-
Endurance/Range Fuel Crew, OFF/CPO/ENL Propulsion Plant Electric Plant Ship Control	60 Days / 12,000 nmi 650 tons 18/12/88 CODAG, 1 Gas Turbine, 2 Diesels 2 SSDGs + 1 Emergency Ger Integrated Bridge	Length Beam Draft Displacement Spend	421 ft, LOA 54 ft 20.9 ft 3,886 tons, Full Load 28.1 kts (Sustained at 85% MCR) 1 kts (Max at 100% MCR)
State of Line	U.s.	COAST GUARD	/88
			THE PERSON NAMED IN
	是是 C. 2000		





Maritime Security Cutter, Medium (WMSM) Characteristics

Endurance/Range	45 Days / 9,000 nm	Length	341 ft, LOA	
Fuel	400 tons	Beam	54 ft	
Crew, OFF/CPO/ENL	14/8/72	Draft	17.25 ft	
Propulsion Plant	2 Diesels, 3,800 BHP	Displacement	2,922 tons, Full Load	
Electric Plant	2 SSDGs + 1 Emergency Gen	Speed	22 kts (Sustained at	
Ship Control	Integrated Bridge		85% MCR)	
			23 kts (Max at 100%	
			MCR)	
	THE REAL PROPERTY.			
	11			
	U.S. COAST GUAL	RD /		
			14	





Maritime Patrol Coastal (WPC) Characteristics

Fast Response Cutter [Delivery 2018-2022]







Maritime Patrol Boat (WPB)

123' Patrol Boat (Legacy 110' SLEP) [Delivery 2004–2010]

Enhanced Bridge

- 360-degree view
- · Deck area nearly doubled
- Centralized Alarm and Monitoring System
- Portable Bridge Wing Controls

Enhanced C4ISR Suite New Deckhouse

- Staterooms allow dual-gender crew
- Admin office with medical triage area
- Crewmembers relocated from noisy aft berthing area

Performance Enhancements

- Larger Rudders
- More Efficient Propellers
- Improved Engine Controls
- Machinery Monitoring

13-Foot Stern Extension with ramp Short-Range Prosecutor



MATAGORDA





Long Range Interceptor & Short Range Prosecutor Characteristics

LRI and SRP [Delivery: 2004 - 2022]



Long-Range Interceptor

- Propulsion Water Jet Engines for Stern Ramp Capability
- Capacity Up to 14 Personnel With 150 lbs of Cargo
- Speed 45 Knots



Short Range-Prosecutor


- Propulsion Water Jet Engine for Stern Ramp Capability
- Capacity Up to 10 Personnel With 150 lbs of Cargo
- Speed 36 Knots

Features	9 en efits
LRI	
· Slam-Mittigating Seats	' Decreased Fatigue &r Boarding Teams
· Enclosed Coxswain Station	· In creased Control and Handling
· Radar	· Faster, More E Mective Prosecution
Over the Horizon Capability () ith Satcom and GPS	' Extended Cutter Reach
· Stern R amp D eployment/R ecovery	· Faster, Safer Operations () Ith Less Crew
3 R P	
· Slam -Mittigating Seats	· Decreased Fatigue &r Boarding Teams
· Improved Communication	' In crea sed Control
· Excellent Sea-Keeping	· Prosecution in Rough () ater
· Stern Ramp Deployment/Recovery	· Faster, Safer Operations () Ith Less Crew





Aviation Assets



Capability *Improvements*

- All Aviation Assets Include Night/All-weather Capability With Radar and EO/IR Sensors
- Increased Communications and Common Operating Picture Capability
- MPA and VUAV Introduced in First Five Years Support Early Retirement of High-Cost-to-Operate Legacy Aircraft



Long Range Surveillance



Maritime Patrol Aircraft



High Altitude UAV



Multi-mission Cutter Helicopter



VTOL Recovery and Surveillance Aircraft

VTOL Unmanned Air Vehicle





The Aviation Asset Implementation

200	02	2007	2012	2017	2022
New Construction Maritime Patrol Aircraft					
Vertical Unmanned Aerial Vehicle	THE STATE OF THE S	THE			13
Vertical Recovery System			*		1
High Altitude Unmanned Air Vehicle			7	5	
Upgrades Dolphin HH-65				56	
Retirement Hercules Falcon Jayhawk	HC-130 HU-25	HC- HU-	25	-130 HC-1 	





Maritime Patrol Aircraft (MPA) Characteristics

EADS CASA 235-300M "Persuader" MPA - Delivery 2006-2012

General Characteristics

70 ft 3 in Length 84 ft 8 in Wingspan 31 ft 6 in Cabin Length Cabin Height 6ft 1 in Cabin Width 8ft 9 in Maximum Take-off Weight 36,380 lb 36,380 lb Maximum Landing Weight 11,200 lb Maximum Payload **Fuel Capacity** 1,379 gal

Number of 88" x 108" Pallets 2

Maximum Cruising Speed 232 kias

Take-off Distance to 50 ft (S/L, ISA, MTOW)

Landing Distance from 50 ft (S/L, ISA, MTOW) 2170 f

Maximum Range

Range with 4000 kg Payload (8800 lb) 1,030 nm

Engines 2 x General Electric CT7-9C3 turboprop engines

Propellers Hamilton Standard 14RF-37 (Four Bladed)

 Proven Military Twin Turboprop

Extended Range Fuel System

In Service as MPA

 Most Cost-Effective MPA Alternative Palletized Fully Integrated Tactical System

 Quick Change to Cargo or Passenger Role

Rear Cargo Ramp



Observation Bubble Window





MCH Characteristics

HH-65 MCH - Delivery 2007-2015

General Characteristics

Length 46.91 ft (44.4 ft)

Wing/Rotor Span 41.33 ft Rotor

Maximum Takeoff 9,500 lbs (9,200 lbs)

Weight

Payload Weight (w/Fuel) 3,190 lbs Empty Weight 6,333 lbs

Fuel Capacity 2,164 lbs (1,969 lbs)

Maximum Airspeed 165 kts Cruise Speed 120 kts

Economy Speed 75 kts

Service Ceiling 15,000 ft/

7,510 ft Hover

Maximum Endurance 3.5 hrs (2.9 hrs) Maximum Range 467 nm (348 nm)

Operational Radius 178 nm (150 nm)

Number of Engines 2

Cargo Sling Hoist 1,500+ lbs

Capability

Rescue Hoist Capability 600 lbs

- ·Leverages USCG Legacy Asset
- ·Low-Cost, Low-Risk Major Airframe Upgrade
- Increased TOGW, Range, Endurance
- New Avionics Common Fully
 Shipboard Deployable
- ·Margins for Use in Armed Helo Role
- Complements VUAV on NSC, OPC, and WMEC 270







VTOL Recovery and Surveillance Characteristics

Bell-Agusta Aerospace AB-139 VTOL Recovery and Surveillance (VRS) Delivery 2014-2022

General Characteristics

Length O/A 5467 ft Max Airspeed 185 kts Cruise Airspeed 157 kts Economy Airspeed 80 kts Service Ceiling 16,750 ft Maximum Endurance 5.0 hrs Maximum Range 511 nm

2 Pratt & Whitney PT6C-67C Cargo Ceiling Capacity 6,000 lbs

Rescue Hoist Capacity 600 lbs Radius Of Action (SAR) 211 nm

Propulsion

5 Blade Fully Articulated Elastomeric Main Rotor Tail Rotor 4 Blade Fully Articulated Elastomeric

FAA Single Pilot IFR Certified 3/2003

Rotor Span 45.27 ft Max T/O Weight 14,550 lbs Useful Load 5,250 lbs Fuel Capacity 4.088 lbs





Vertical Unmanned Air Vehicle Characteristics

Bell HV-911 "Eagle Eye" VTOL Unmanned Air Vehicle – Delivery 2006-2018

Flight-Ready Configuration



General Characteristics

- All Composite Construction
- Fully Shipboard Deployable
- Low Maintenance (<1 MMH/FH)
- Up to 4 VUAVs per NSC or OPC
- Modular Mission Payloads (FLIR/EO, Radar, etc.)
- High Speed Dash (220 kts), Cruise (130 kts)
- Airplane Loiter (90 kts)
- Endurance 3.0 hrs @ 100 nm
- Height 5.7 ft
- Maximum Length 17.22 ft
- · Maximum Wing Span 23.6 ft





High Altitude Unmanned Air Vehicle (HAUAV) Characteristics

Northrop Grumman RQ-4A High Altitude (UAV) - Delivery 2016



General Characteristics

- ·DoD Surveillance Asset
- ·Low Risk After USAF Production, Testing, Fielding
- ·Huge Surveillance Areas Covered per Mission
- >3,000 nm Range, >30 Hours Endurance
- ·High-resolution Sensors (FLIR/EO, SAR, ISAR/GMT)
- Range Endurance Allows Operation from Only 2 Sites
- ·Centralized Control from Ground Control Station
- ·GCS Integrated into CG-C2 System


General Specifications

- ·Power Plant Single Allison AE3007H (Approximately 7,000 Pounds Thrust)
- ·Length: 44 feet
- ·Height 15 feet
- ·Weight Approximately 25,600 Gross Take-off Pounds
- ·Wingspan: 116 fe et
- ·Speed: 300 to 400 Kt True Air Speed (KTAS)
- Range: 1,200 nm Radius with 24 Hours On Station
- ·Loiter Altitude: 50,000 to 65,000 feet
- ·Fuel Capacity: 14,800 Pounds, JP-8





The C4ISR Capability



Capability Improvements

- Common Command and Control Systems is Fully Integrated With All Sensors, Communications, and Legacy Interfaces
- Interoperability and Maritime Domain Awareness Established by IDS Assets and National Sources
- Imbedded Technical Refresh to Prevent Future
 Obsolescence

Early Increased Situational Awareness, Surveillance, and Command is Provided through a Common Operating Picture to Answer Homeland Security Requirements



the COP





The Manpower and ILS



Asset Introduction Training

Enhancements Personal Digital

Assistant (PDA)

Capability *Improvements*

- Increased Automation Reducing Operator Workload, Training Requirements, and Enables Condition-based Monitoring
- Integrated Product Data Environment (IPDE) Maintains a Single, Authoritative Data Set Program-wide for Program Performance and Metrics
- Equipment Selection, Sparing, and Training Based on RMA Improves Readiness, Availability, and Supports System Response Reducing Operating Expenses



Increased Automation and State-of-the-Art Technology, Decreased Manpower Requirements and Reduced Total Ownership Cost

System of Systems at Year 5






Low Risk Transition to Full Capability





CONOPS Summary



- 1 HAUAV Wide Area Surveillance
- 2 MPA Prosecution
- 3 NSC Interoperability

- 4 Multi Asset Operation
- 5 Over-the-Horizon Operations
- 6 Shore-based Command Center





Why Deepwater?

- Enables the Coast Guard to
 - Maintain credible presence in key maritime regions to deter potential threats to U.S. sovereignty
 - Exercise sea control and projection of law enforcement and naval/maritime power should deterrence fail
- Provides Nation best national security, military, law enforcement, and search & rescue capability for taxpayer's dollar
- Ensures USCG remains best CG in the world military, multimission, maritime

Secures the Homeland







"Our men and women in uniform deserve the best weapons, the best equipment, the best training..."

President George W. Bush, State of the Union Address, January 2002